

| ÜRÜN KODU | ÜRÜN ADI | AMBALAJ | MARKA |
|-------------|--|-----------|--------|
| S-9094.0100 | aCella™ - AChE | 100 tests | BACHEM |
| S-9094.0500 | aCella™ - AChE | 500 tests | BACHEM |
| S-9094.1000 | aCella™ - AChE | 100 tests | BACHEM |
| S-9088.0500 | aCella™ - TOX | 500 tests | BACHEM |
| S-9088.1000 | aCella™ - TOX | 100 tests | BACHEM |
| S-3142.0001 | Acetyl-beta-Endorphin () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-9068.0100 | ACT-1 Assay for Cytotoxicity | 100 tests | BACHEM |
| S-1185.0001 | ACTH (1-24) (, , , ovine, , ,) - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3152.0001 | ACTH (1-24) (, , , ovine, , ,) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2048.0001 | ACTH (1-24) (, , , ovine, , ,) - RIA Kit, Host: | 1 kit | BACHEM |
| S-1376.0001 | ACTH (1-39) () - EIA Kit, (H - sr, pl), Host : , Extraction-free | 1 kit | BACHEM |
| S-1377.0001 | ACTH (1-39) () - EIA Kit, (R - sr, pl), Host : , Extraction-free | 1 kit | BACHEM |
| S-1184.0001 | ACTH (1-39) () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3030.0001 | ACTH (1-39) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-3029.0001 | ACTH (1-39) () - Immunofluorescence Kit, Host: Guinea | 1 kit | BACHEM |
| S-2204.0001 | ACTH (1-39) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-2047.0001 | ACTH (1-39) () - RIA Kit, Host: Guinea | 1 kit | BACHEM |
| S-1378.0001 | ACTH (1-39) (,) - EIA Kit (H - sr, pl), Host : , Extraction Free | 1 kit | BACHEM |
| S-1379.0001 | ACTH (1-39) (,) - EIA Kit (R - sr, pl), Host : , Extraction Free | 1 kit | BACHEM |
| S-1130.0001 | ACTH (1-39) (,) - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3000.0001 | ACTH (1-39) (,) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2010.0001 | ACTH (1-39) (,) - RIA Kit (H - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-2093.0001 | ACTH (1-39) (,) - RIA Kit (R - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-2036.0001 | ACTH (1-39) (,) - RIA Kit, Host: | 1 kit | BACHEM |
| S-3031.0001 | ACTH (18-39) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2049.0001 | ACTH (18-39) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-3032.0001 | Adrenomedullin () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-3169.0001 | Adrenomedullin () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2057.0001 | Adrenomedullin () - RIA Kit, Host: | 1 kit | BACHEM |
| S-2059.0001 | Adrenomedullin () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1390.0001 | Adrenomedullin 5 (primate) - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1385.0001 | Adropin (34-76) (,) - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1323.0001 | Alarin () - EIA Kit, High Sensitivity | 1 kit | BACHEM |
| S-1198.0001 | alpha-CGRP () - EIA Kit (H - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1167.0001 | alpha-CGRP () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-1199.0001 | alpha-CGRP () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3006.0001 | alpha-CGRP () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-3047.0001 | alpha-CGRP () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-3046.0001 | alpha-CGRP () - Immunofluorescence Kit, Host: Guinea | 1 kit | BACHEM |
| S-4001.0001 | alpha-CGRP () - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-4016.0001 | alpha-CGRP () - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-2020.0001 | alpha-CGRP () - RIA Kit (H - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-2019.0001 | alpha-CGRP () - RIA Kit, Host: | 1 kit | BACHEM |
| S-2100.0001 | alpha-CGRP () - RIA Kit, Host: | 1 kit | BACHEM |
| S-2099.0001 | alpha-CGRP () - RIA Kit, Host: Guinea | 1 kit | BACHEM |
| S-1389.0001 | alpha-Defensin 6 (HD-6) () - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-3077.0001 | alpha-MSH - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2155.0001 | alpha-MSH - RIA Kit, Host: | 1 kit | BACHEM |
| S-3149.0001 | alpha-Neoendorphin - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2218.0001 | alpha-Neoendorphin - RIA Kit, Host: | 1 kit | BACHEM |
| S-1186.0001 | Amylin () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-1187.0001 | Amylin () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3034.0001 | Amylin () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |

| | | | |
|-------------|--|------------|--------|
| S-3035.0001 | Amylin () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-4012.0001 | Amylin () - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-4013.0001 | Amylin () - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-2061.0001 | Amylin () - RIA Kit, Host: | 1 kit | BACHEM |
| S-2063.0001 | Amylin () - RIA Kit, Host: | 1 kit | BACHEM |
| S-3137.0001 | Amylin (1-13) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2064.0001 | Amylin (1-13) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-3138.0001 | Amylin (25-37) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2065.0001 | Amylin (25-37) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-3033.0001 | Amylin (cat) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2060.0001 | Amylin (cat) - RIA Kit, Host: | 1 kit | BACHEM |
| S-2254.0001 | Amyloid beta/A4 Protein Precursor770 (740-770) (C31) - RIA Kit, Host: | 1 kit | BACHEM |
| S-3036.0001 | Amyloid beta-Protein (1-40) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2066.0001 | Amyloid beta-Protein (1-40) - RIA Kit, Host: | 1 kit | BACHEM |
| S-1343.0001 | Angiotensin (1-12) () - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1344.0001 | Angiotensin (1-12) (,) - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1302.0001 | Angiotensin A - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-1188.0001 | Angiotensin I - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3075.0001 | Angiotensin I - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2067.0001 | Angiotensin I - RIA Kit, Host: | 1 kit | BACHEM |
| S-1330.0001 | Angiotensin I/II (1-7) - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1133.0001 | Angiotensin II - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3118.0001 | Angiotensin II - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-3001.0001 | Angiotensin II - Immunofluorescence Kit, Host: Guinea | 1 kit | BACHEM |
| S-4000.0001 | Angiotensin II - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-2012.0001 | Angiotensin II - RIA Kit, Host: | 1 kit | BACHEM |
| S-2037.0001 | Angiotensin II - RIA Kit, Host: Guinea | 1 kit | BACHEM |
| S-1329.0001 | Angiotensin III - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3159.0001 | Anxiety Peptide - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2106.0001 | Anxiety Peptide - RIA Kit, Host: | 1 kit | BACHEM |
| S-2253.0001 | Apelin-17 (, ,) - RIA Kit, Host: | 1 kit | BACHEM |
| S-9069.0100 | APO 3/7 HTS™ - High Throughput Screen for Caspase-3/7 Detection | 100 tests | BACHEM |
| S-9069.0500 | APO 3/7 HTS™ - High Throughput Screen for Caspase-3/7 Detection | 500 tests | BACHEM |
| S-9069.1000 | APO 3/7 HTS™ - High Throughput Screen for Caspase-3/7 Detection | 1000 tests | BACHEM |
| S-9073.0025 | APO Active 3™ FITC - Antibody Specific Active Caspase-3 FITC Detection Kit | 25 tests | BACHEM |
| S-9073.0100 | APO Active 3™ FITC - Antibody Specific Active Caspase-3 FITC Detection Kit | 100 tests | BACHEM |
| S-9072.0025 | APO Active 3™ PE - Antibody Specific Active Caspase-3 Phycoerythrin (PE) Detection Kit | 25 tests | BACHEM |
| S-9072.0100 | APO Active 3™ PE - Antibody Specific Active Caspase-3 Phycoerythrin (PE) Detection Kit | 100 tests | BACHEM |
| S-9085.0025 | APO LOGIX™ - Carboxyfluorescein Caspase-1 Detection Kit | 25 tests | BACHEM |
| S-9085.0100 | APO LOGIX™ - Carboxyfluorescein Caspase-1 Detection Kit | 100 tests | BACHEM |
| S-9078.0025 | APO LOGIX™ - Carboxyfluorescein Caspase-10 Detection Kit | 25 tests | BACHEM |
| S-9078.0100 | APO LOGIX™ - Carboxyfluorescein Caspase-10 Detection Kit | 100 tests | BACHEM |
| S-9083.0025 | APO LOGIX™ - Carboxyfluorescein Caspase-2 Detection Kit | 25 tests | BACHEM |
| S-9083.0100 | APO LOGIX™ - Carboxyfluorescein Caspase-2 Detection Kit | 100 tests | BACHEM |
| S-9079.0025 | APO LOGIX™ - Carboxyfluorescein Caspase-3 Detection Kit | 25 tests | BACHEM |
| S-9079.0100 | APO LOGIX™ - Carboxyfluorescein Caspase-3 Detection Kit | 100 tests | BACHEM |
| S-9084.0025 | APO LOGIX™ - Carboxyfluorescein Caspase-6 Detection Kit | 25 tests | BACHEM |
| S-9084.0100 | APO LOGIX™ - Carboxyfluorescein Caspase-6 Detection Kit | 100 tests | BACHEM |
| S-9081.0025 | APO LOGIX™ - Carboxyfluorescein Caspase-8 Detection Kit | 25 tests | BACHEM |
| S-9081.0100 | APO LOGIX™ - Carboxyfluorescein Caspase-8 Detection Kit | 100 tests | BACHEM |
| S-9080.0025 | APO LOGIX™ - Carboxyfluorescein Caspase-9 Detection Kit | 25 tests | BACHEM |
| S-9080.0100 | APO LOGIX™ - Carboxyfluorescein Caspase-9 Detection Kit | 100 tests | BACHEM |
| S-9082.0025 | APO LOGIX™ - Carboxyfluorescein Poly-Caspase Detection Kit | 25 tests | BACHEM |
| S-9082.0100 | APO LOGIX™ - Carboxyfluorescein Poly-Caspase Detection Kit | 100 tests | BACHEM |

| | | | |
|-------------|---|-----------|--------|
| S-9074.0100 | APO LOGIX™ - JC-1 Mitochondrial Membrane Potential Detection Kit | 100 tests | BACHEM |
| S-9089.0025 | APO LOGIX™ - Sulforhodamine Caspase-3 Detection Kit | 25 tests | BACHEM |
| S-9089.0100 | APO LOGIX™ - Sulforhodamine Caspase-3 Detection Kit | 100 tests | BACHEM |
| S-9090.0025 | APO LOGIX™ - Sulforhodamine Poly-Caspase Detection Kit | 25 tests | BACHEM |
| S-9090.0100 | APO LOGIX™ - Sulforhodamine Poly-Caspase Detection Kit | 100 tests | BACHEM |
| S-9102.0025 | Apo ssDNA™ | 25 tests | BACHEM |
| S-9102.0100 | Apo ssDNA™ | 100 tests | BACHEM |
| S-1131.0001 | Atrial Natriuretic Factor (1-28) () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-1132.0001 | Atrial Natriuretic Factor (1-28) () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3003.0001 | Atrial Natriuretic Factor (1-28) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-3004.0001 | Atrial Natriuretic Factor (1-28) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-3002.0001 | Atrial Natriuretic Factor (1-28) () - Immunofluorescence Kit, Host: Guinea | 1 kit | BACHEM |
| S-4010.0001 | Atrial Natriuretic Factor (1-28) () - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-2011.0001 | Atrial Natriuretic Factor (1-28) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-2039.0001 | Atrial Natriuretic Factor (1-28) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-2038.0001 | Atrial Natriuretic Factor (1-28) () - RIA Kit, Host: Guinea | 1 kit | BACHEM |
| S-1321.0001 | Augurin ((Pyr4U)-tsopnageal Cancer Related Gene 4 Protein (4U-11 /)) - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3116.0001 | Big Endothelin-1 Fragment (22-38) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2163.0001 | Big Endothelin-1 Fragment (22-38) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-3122.0001 | Big Gastrin I () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2132.0001 | Big Gastrin I () - RIA Kit, Host: | 1 kit | BACHEM |
| S-9105.0005 | Blocker Array II™ | 5 tests | BACHEM |
| S-9105.0010 | Blocker Array II™ | 10 tests | BACHEM |
| S-9103.0005 | Blocker Array™ | 5 tests | BACHEM |
| S-9103.0010 | Blocker Array™ | 10 tests | BACHEM |
| S-1190.0001 | BNP-26 () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3039.0001 | BNP-26 () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2075.0001 | BNP-26 () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1194.0001 | BNP-32 () - EIA Kit (H - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1251.0001 | BNP-32 () - EIA Kit (R - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1136.0001 | BNP-32 () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-1191.0001 | BNP-32 () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-1192.0001 | BNP-32 () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3027.0001 | BNP-32 () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-3040.0001 | BNP-32 () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2103.0001 | BNP-32 () - RIA Kit (H - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-2104.0001 | BNP-32 () - RIA Kit (R - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-2016.0001 | BNP-32 () - RIA Kit, Host: | 1 kit | BACHEM |
| S-2077.0001 | BNP-32 () - RIA Kit, Host: | 1 kit | BACHEM |
| S-2078.0001 | BNP-32 () - RIA Kit, Host: | 1 kit | BACHEM |
| S-3162.0001 | BNP-34 (3-34) (dog) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2076.0001 | BNP-34 (3-34) (dog) - RIA Kit, Host: | 1 kit | BACHEM |
| S-3041.0001 | BNP-45 () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2079.0001 | BNP-45 () - RIA Kit, Host: | 1 kit | BACHEM |
| S-3120.0001 | Bombesin - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2074.0001 | Bombesin - RIA Kit, Host: | 1 kit | BACHEM |
| S-1135.0001 | Bradykinin - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3005.0001 | Bradykinin - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2015.0001 | Bradykinin - RIA Kit, Host: | 1 kit | BACHEM |
| S-1290.0001 | BSA - ELISA | 1 kit | BACHEM |
| S-9117.0001 | C1q Fixed Complement Proceptor™ ELISA Kit (C1q-CIC) | 1 kit | BACHEM |
| S-9118.0001 | C3 Fixed Complement Proceptor™ ELISA Kit (C3-CIC) | 1 kit | BACHEM |
| S-9119.0001 | C3d Fixed Complement Proceptor™ ELISA Kit (C3d-CIC) | 1 kit | BACHEM |
| S-9120.0001 | C4 Fixed Complement Proceptor™ ELISA Kit (C4-CIC) | 1 kit | BACHEM |

| | | | |
|-------------|---|-----------|--------|
| S-9121.0001 | C4d Fixed Complement Proceptor™ ELISA Kit (C4d-CIC) | 1 kit | BACHEM |
| S-9122.0001 | C5 Fixed Complement Proceptor™ ELISA Kit (C5-CIC) | 1 kit | BACHEM |
| S-9123.0001 | C5b-9 Fixed Complement Proceptor™ ELISA Kit (C5b-9-CIC) | 1 kit | BACHEM |
| S-1338.0001 | Calcitonin () - EIA Kit (R - sr, pl), Host : , Extraction Free | 1 kit | BACHEM |
| S-1196.0001 | Calcitonin () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-1197.0001 | Calcitonin () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3044.0001 | Calcitonin () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-3045.0001 | Calcitonin () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-4015.0001 | Calcitonin () - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-2095.0001 | Calcitonin () - RIA Kit, Host: | 1 kit | BACHEM |
| S-2097.0001 | Calcitonin () - RIA Kit, Host: | 1 kit | BACHEM |
| S-2098.0001 | Calcitonin () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1195.0001 | Calcitonin (eel) - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3104.0001 | Calcitonin (eel) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2096.0001 | Calcitonin (eel) - RIA Kit, Host: | 1 kit | BACHEM |
| S-1154.0001 | Calcitonin (salmon I) - EIA Kit (H - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1155.0001 | Calcitonin (salmon I) - EIA Kit (R - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1166.0001 | Calcitonin (salmon I) - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3105.0001 | Calcitonin (salmon I) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2018.0001 | Calcitonin (salmon I) - RIA Kit (H - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-2040.0001 | Calcitonin (salmon I) - RIA Kit, Host: | 1 kit | BACHEM |
| S-3106.0001 | Calcitonin C-Terminal Flanking Peptide () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2151.0001 | Calcitonin C-Terminal Flanking Peptide () - RIA Kit, Host: | 1 kit | BACHEM |
| S-3108.0001 | Calcitonin N-Terminal Flanking Peptide () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2162.0001 | Calcitonin N-Terminal Flanking Peptide () - RIA Kit, Host: | 1 kit | BACHEM |
| S-9111.0025 | Caspase 1 Mito Casp™ | 25 tests | BACHEM |
| S-9111.0100 | Caspase 1 Mito Casp™ | 100 tests | BACHEM |
| S-9101.0025 | Caspase 3/7 Mito Casp™ | 25 tests | BACHEM |
| S-9101.0100 | Caspase 3/7 Mito Casp™ | 100 tests | BACHEM |
| S-9112.0025 | Caspase 8 Mito Casp™ | 25 tests | BACHEM |
| S-9112.0100 | Caspase 8 Mito Casp™ | 100 tests | BACHEM |
| S-9107.0025 | Caspase 9 Mito Casp™ | 25 tests | BACHEM |
| S-9107.0100 | Caspase 9 Mito Casp™ | 100 tests | BACHEM |
| S-1313.0001 | Catestatin () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-6003.0001 | Catestatin () - Fluorescent Peptide Enzyme Immunoassay Kit, Host : | 1 kit | BACHEM |
| S-1015.0096 | CD163 () - ELISA | 96 tests | BACHEM |
| S-1396.0001 | Cetorelix - EIA Kit (H - sr, pl), Host : , Extraction Free | 1 kit | BACHEM |
| S-1395.0001 | Cetorelix - EIA Kit (R - sr, pl), Host : , Extraction Free | 1 kit | BACHEM |
| S-1383.0001 | Cetorelix - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1205.0001 | Cholecystokinin Octapeptide (desulfated) - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3050.0001 | Cholecystokinin Octapeptide (desulfated) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-4018.0001 | Cholecystokinin Octapeptide (desulfated) - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-2107.0001 | Cholecystokinin Octapeptide (desulfated) - RIA Kit, Host: | 1 kit | BACHEM |
| S-2170.0001 | Chromogranin A (250-301) amide () - RIA Kit, Host: | 1 kit | BACHEM |
| S-3140.0001 | Chromogranin A (264-314) amide () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2172.0001 | Chromogranin A (264-314) amide () - RIA Kit, Host: | 1 kit | BACHEM |
| S-9124.0001 | Clusterin Proceptor™ ELISA Kit for Immune Complexes (Clusterin-CIC) | 1 kit | BACHEM |
| S-9125.0001 | Clusterin Proceptor™ ELISA Kit for Membrane Attack Complexed (Clusterin-sMAC) | 1 kit | BACHEM |
| S-1340.0001 | Complement 5a () - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1295.0001 | Corstistatin-29 () - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1252.0001 | Cortistatin-17 () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3183.0001 | Cortistatin-17 () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-4033.0001 | Cortistatin-17 () - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-2230.0001 | Cortistatin-17 () - RIA Kit, Host: | 1 kit | BACHEM |

| | | | |
|-------------|---|-------|--------|
| S-1294.0001 | Cortistatin-29 () - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1242.0001 | C-Peptide () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-9104.0001 | C-Peptide () - ELISA Kit, (U-type) (delivery 3-4 weeks, may be longer) | 1 kit | BACHEM |
| S-3042.0001 | C-Peptide () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2083.0001 | C-Peptide () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1181.0001 | CRF (,) - EIA Kit (H - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1182.0001 | CRF (,) - EIA Kit (R - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1169.0001 | CRF (,) - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3008.0001 | CRF (,) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-3007.0001 | CRF (,) - Immunofluorescence Kit, Host: Guinea | 1 kit | BACHEM |
| S-4002.0001 | CRF (,) - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-2022.0001 | CRF (,) - RIA Kit (H - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-2094.0001 | CRF (,) - RIA Kit (R - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-2021.0001 | CRF (,) - RIA Kit, Host: | 1 kit | BACHEM |
| S-2055.0001 | CRF (,) - RIA Kit, Host: Guinea | 1 kit | BACHEM |
| S-1276.0001 | CRF (ovine) - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3051.0001 | CRF (ovine) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2108.0001 | CRF (ovine) - RIA Kit, Host: | 1 kit | BACHEM |
| S-3161.0001 | C-Type Natriuretic Peptide (1-29) (,) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2084.0001 | C-Type Natriuretic Peptide (1-29) (,) - RIA Kit, Host: | 1 kit | BACHEM |
| S-1193.0001 | C-Type Natriuretic Peptide (32-53) (, ,) - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3043.0001 | C-Type Natriuretic Peptide (32-53) (, ,) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-4014.0001 | C-Type Natriuretic Peptide (32-53) (, ,) - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-2085.0001 | C-Type Natriuretic Peptide (32-53) (, ,) - RIA Kit, Host: | 1 kit | BACHEM |
| S-1333.0001 | Defensin (f1-3) (HNP-1, -2, -3) () - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-3154.0001 | Delta-Sleep Inducing Peptide - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2109.0001 | Delta-Sleep Inducing Peptide - RIA Kit, Host: | 1 kit | BACHEM |
| S-1249.0001 | Dendroaspis Natriuretic Peptide - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3171.0001 | Dendroaspis Natriuretic Peptide - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2223.0001 | Dendroaspis Natriuretic Peptide - RIA Kit, Host: | 1 kit | BACHEM |
| S-1282.0001 | D-Marker Peptide - EIA Kit (H - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1283.0001 | D-Marker Peptide - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-1203.0001 | Dynorphin A - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3150.0001 | Dynorphin A - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-4019.0001 | Dynorphin A - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-2111.0001 | Dynorphin A - RIA Kit, Host: | 1 kit | BACHEM |
| S-3157.0001 | Dynorphin A (1-10) amide - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2115.0001 | Dynorphin A (1-10) amide - RIA Kit, Host: | 1 kit | BACHEM |
| S-3148.0001 | Dynorphin A (1-13) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2114.0001 | Dynorphin A (1-13) - RIA Kit, Host: | 1 kit | BACHEM |
| S-1204.0001 | Dynorphin A (1-8) - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3052.0001 | Dynorphin A (1-8) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-4020.0001 | Dynorphin A (1-8) - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-2112.0001 | Dynorphin A (1-8) - RIA Kit, Host: | 1 kit | BACHEM |
| S-3156.0001 | Dynorphin B - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-3053.0001 | Dynorphin B - Immunofluorescence Kit, Host: Guinea | 1 kit | BACHEM |
| S-2113.0001 | Dynorphin B - RIA Kit, Host: | 1 kit | BACHEM |
| S-2116.0001 | Dynorphin B - RIA Kit, Host: Guinea | 1 kit | BACHEM |
| S-3119.0001 | Eledoisin - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2213.0001 | Eledoisin - RIA Kit, Host: | 1 kit | BACHEM |
| S-1139.0001 | Endomorphin-1 - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-1246.0001 | Endomorphin-2 - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-2221.0001 | Endomorphin-2 - RIA Kit, Host: | 1 kit | BACHEM |
| S-1156.0001 | Endothelin-1 (, , dog, , ,) - EIA Kit (H - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |

| | | | |
|-------------|---|-----------|--------|
| S-1157.0001 | Endothelin-1 (, , dog , ,) - EIA Kit (R - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1171.0001 | Endothelin-1 (, , dog , ,) - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3011.0001 | Endothelin-1 (, , dog , ,) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-3113.0001 | Endothelin-1 (, , dog , ,) - Immunofluorescence Kit, Host: , Unspecific Crossreactivity Profile | 1 kit | BACHEM |
| S-3010.0001 | Endothelin-1 (, , dog , ,) - Immunofluorescence Kit, Host: Guinea | 1 kit | BACHEM |
| S-4004.0001 | Endothelin-1 (, , dog , ,) - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-2024.0001 | Endothelin-1 (, , dog , ,) - RIA Kit, Host: | 1 kit | BACHEM |
| S-2175.0001 | Endothelin-1 (, , dog , ,) - RIA Kit, Host: , Unspecific Crossreactivity Profile | 1 kit | BACHEM |
| S-2041.0001 | Endothelin-1 (, , dog , ,) - RIA Kit, Host: Guinea | 1 kit | BACHEM |
| S-1207.0001 | Endothelin-3 (, ,) - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3060.0001 | Endothelin-3 (, ,) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2056.0001 | Endothelin-3 (, ,) - RIA Kit, Host: | 1 kit | BACHEM |
| S-1361.0001 | Enterostatin (,) - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1277.0001 | Enterotoxin STp (E. coli) - EIA Kit, Host: | 1 kit | BACHEM |
| S-1388.0001 | Eptifibatide - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-9115.0008 | Erythrocytes Thiopurine Methyltransferase (TPMT) Activity Assay EIA Kit | 8 tests | BACHEM |
| S-9115.0024 | Erythrocytes Thiopurine Methyltransferase (TPMT) Activity Assay EIA Kit | 24 tests | BACHEM |
| S-9115.0040 | Erythrocytes Thiopurine Methyltransferase (TPMT) Activity Assay EIA Kit | 40 tests | BACHEM |
| S-1310.0001 | Exendin-4 EIA Kit (H - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1311.0001 | Exendin-4 EIA Kit (R - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1297.0001 | Exendin-4 EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1305.0001 | Exon 3-deleted Prepro-Ghrelin (76-91) () - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1326.0001 | Extracellular Death Factor (EDF) (E. coli) - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-5000.0001 | Extraction Kit | 1 kit | BACHEM |
| S-9092.0500 | Fluorescent Monoamine Oxidase A&B Detection Kit | 500 tests | BACHEM |
| S-9091.0500 | Fluorescent Semicarbazide-Sensitive Amine Oxidase Detection Kit | 500 tests | BACHEM |
| S-9114.0100 | Fluoro AChE™ | 100 tests | BACHEM |
| S-9114.0500 | Fluoro AChE™ | 500 tests | BACHEM |
| S-9093.0500 | Fluoro Catalase™ | 500 tests | BACHEM |
| S-9109.0100 | Fluoro EPO™ - Fluorescent Eosinophil Peroxidase Detection Kit | 100 tests | BACHEM |
| S-9086.0500 | Fluoro H2O2™ - Fluorescent Hydrogen Peroxide/Peroxidase Detection Kit | 500 tests | BACHEM |
| S-9098.0150 | Fluoro hROS™ - hROS Detection Kit | 150 tests | BACHEM |
| S-9096.0150 | Fluoro Hydroxyl/Peroxynitrite™ | 150 tests | BACHEM |
| S-9097.0150 | Fluoro Hypochlorite™ | 150 tests | BACHEM |
| S-9110.0001 | Fluoro MPO™ - Fluorescent Myeloperoxidase Chlorination and Peroxidation Detection Kit | 1 kit | BACHEM |
| S-9108.0500 | Fluoro MPO™ - Fluorescent Myeloperoxidase Detection Kit | 500 tests | BACHEM |
| S-9113.0100 | Fluoro NAD/NADH | 100 tests | BACHEM |
| S-9133.0001 | Fluoro ssDNA Caspase 3™ - DNACasp™ | 25 tests | BACHEM |
| S-9133.0001 | Fluoro ssDNA Caspase 3™ - DNACasp™ | 50 tests | BACHEM |
| S-9116.0100 | Fluoro Thiol™ - Fluorescent Thiol Detection Kit | 100 tests | BACHEM |
| S-1347.0001 | Galanin () - EIA Kit, (H - sr, pl), Host : , Extraction Free | 1 kit | BACHEM |
| S-1348.0001 | Galanin () - EIA Kit, (R - sr, pl), Host : , Extraction Free | 1 kit | BACHEM |
| S-1208.0001 | Galanin () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-1210.0001 | Galanin () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3061.0001 | Galanin () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-3062.0001 | Galanin () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-3063.0001 | Galanin () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-4022.0001 | Galanin () - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-2125.0001 | Galanin () - RIA Kit (H - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-2126.0001 | Galanin () - RIA Kit, Host: | 1 kit | BACHEM |
| S-2128.0001 | Galanin () - RIA Kit, Host: | 1 kit | BACHEM |
| S-2129.0001 | Galanin () - RIA Kit, Host: | 1 kit | BACHEM |
| S-2127.0001 | Galanin () - RIA Kit, Host: Guinea | 1 kit | BACHEM |
| S-1325.0001 | Galanin-Like Peptide (GALP) () - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |

| | | | |
|-------------|---|-------|--------|
| S-3079.0001 | gamma2-MSH - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2157.0001 | gamma2-MSH - RIA Kit, Host: | 1 kit | BACHEM |
| S-1273.0001 | Gastric Inhibitory Polypeptide () - EIA Kit (H - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1241.0001 | Gastric Inhibitory Polypeptide () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3121.0001 | Gastric Inhibitory Polypeptide () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-3129.0001 | Gastric Inhibitory Polypeptide () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2025.0001 | Gastric Inhibitory Polypeptide () - RIA Kit, Host: | 1 kit | BACHEM |
| S-2131.0001 | Gastric Inhibitory Polypeptide () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1209.0001 | Gastrin I () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3127.0001 | Gastrin I () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2133.0001 | Gastrin I () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1224.0001 | Ghrelin () - EIA Kit (H - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1225.0001 | Ghrelin () - EIA Kit (R - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1222.0001 | Ghrelin () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-1223.0001 | Ghrelin () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3177.0001 | Ghrelin () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-3178.0001 | Ghrelin () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2227.0001 | Ghrelin () - RIA Kit, Host: | 1 kit | BACHEM |
| S-2228.0001 | Ghrelin () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1300.0001 | Glicentin-Related Polypeptide (GRPP) () - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1142.0001 | GLP-1 (1-37) (, , guinea , ,) - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-2215.0001 | GLP-1 (1-37) (, , guinea , ,) - RIA Kit, Host: | 1 kit | BACHEM |
| S-1359.0001 | GLP-1 (7-36) amide (, , guinea , ,) - EIA Kit (H - sr,pl) Host : , Extraction Free | 1 kit | BACHEM |
| S-1360.0001 | GLP-1 (7-36) amide (, , guinea , ,) - EIA Kit (R - sr,pl) Host : , Extraction Free | 1 kit | BACHEM |
| S-1141.0001 | GLP-1 (7-36) amide (, , guinea , ,) - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3012.0001 | GLP-1 (7-36) amide (, , guinea , ,) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2026.0001 | GLP-1 (7-36) amide (, , guinea , ,) - RIA Kit, Host: | 1 kit | BACHEM |
| S-1216.0001 | GLP-1 (7-37) (, , guinea , ,) - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3074.0001 | GLP-1 (7-37) (, , guinea , ,) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2137.0001 | GLP-1 (7-37) (, , guinea , ,) - RIA Kit, Host: | 1 kit | BACHEM |
| S-3066.0001 | GLP-2 (1-34) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2138.0001 | GLP-2 (1-34) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1349.0001 | Glucagon (1-29) (, ,) - EIA Kit (H - sr, pl), Host : , Extraction Free | 1 kit | BACHEM |
| S-1350.0001 | Glucagon (1-29) (, ,) - EIA Kit (R - sr, pl), Host : , Extraction Free | 1 kit | BACHEM |
| S-1211.0001 | Glucagon (1-29) (, ,) - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3065.0001 | Glucagon (1-29) (, ,) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-4023.0001 | Glucagon (1-29) (, ,) - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-2136.0001 | Glucagon (1-29) (, ,) - RIA Kit, Host: | 1 kit | BACHEM |
| S-3193.0001 | Glucagon-37 (, ,) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2247.0001 | Glucagon-37 (, ,) - RIA Kit, Host: | 1 kit | BACHEM |
| S-3067.0001 | GnRH Precursor Peptide (14-69) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2139.0001 | GnRH Precursor Peptide (14-69) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-4039.0001 | GnTV () - Immunohistochemistry Staining Kit, Host : | 1 kit | BACHEM |
| S-1172.0001 | GRF () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-1212.0001 | GRF () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3013.0001 | GRF () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-3145.0001 | GRF () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-4011.0001 | GRF () - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-2027.0001 | GRF () - RIA Kit, Host: | 1 kit | BACHEM |
| S-2141.0001 | GRF () - RIA Kit, Host: | 1 kit | BACHEM |
| S-3144.0001 | GRF (30-44) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2140.0001 | GRF (30-44) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-3068.0001 | Growth Hormone - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2142.0001 | Growth Hormone - RIA Kit, Host: | 1 kit | BACHEM |

| | | | |
|-------------|---|--------|--------|
| S-3064.0001 | GRP () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-3128.0001 | GRP () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2134.0001 | GRP () - RIA Kit, Host: | 1 kit | BACHEM |
| S-2135.0001 | GRP () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1292.0001 | Hemokinin-1 () - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1291.0001 | Hemokinin-1 (,) - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1384.0001 | Hemopressin () - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1327.0001 | Hemopressin (,) - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1337.0001 | Hepcidin-25 () - EIA Kit (H - sr, pl), Host : , Extraction Free | 1 kit | BACHEM |
| S-1336.0001 | Hepcidin-25 () - EIA Kit (R - sr, pl), Host : , Extraction Free | 1 kit | BACHEM |
| S-2252.0001 | Hepcidin-25 () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1328.0001 | Hepcidin-25 EIA Kit, High Sensitivity | 1 kit | BACHEM |
| S-1000.0001 | HIV Protease Assay Kit | 1 vial | BACHEM |
| S-3153.0001 | H-Phe-Met-Arg-Phe-NH2 - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2124.0001 | H-Phe-Met-Arg-Phe-NH2 - RIA Kit, Host: | 1 kit | BACHEM |
| S-3071.0001 | Hypocretin (28-66) (,) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2148.0001 | Hypocretin (28-66) (,) - RIA Kit, Host: | 1 kit | BACHEM |
| S-3072.0001 | Hypocretin (70-98) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2149.0001 | Hypocretin (70-98) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1309.0001 | IDR-1 (Innate Defense-Regulator Peptide) - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-9128.0001 | IgA () Immune Complexes Proceptor™ ELISA Kit (IgA-CIC) | 1 kit | BACHEM |
| S-3135.0001 | IGF-I (24-41) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2144.0001 | IGF-I (24-41) - RIA Kit, Host: | 1 kit | BACHEM |
| S-3188.0001 | IGF-I (30-41) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2236.0001 | IGF-I (30-41) - RIA Kit, Host: | 1 kit | BACHEM |
| S-3134.0001 | IGF-II (33-40) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2145.0001 | IGF-II (33-40) - RIA Kit, Host: | 1 kit | BACHEM |
| S-9129.0001 | IgG () Immune Complexes Proceptor™ ELISA Kit (IgG-CIC) | 1 kit | BACHEM |
| S-9131.0001 | Ig-kappa () Immune Complexes Proceptor™ ELISA Kit (Ig-k-CIC) | 1 kit | BACHEM |
| S-9132.0001 | Ig-lambda () Immune Complexes Proceptor™ ELISA Kit (Ig-λ-CIC) | 1 kit | BACHEM |
| S-9130.0001 | IgM () Immune Complexes Proceptor™ ELISA Kit (IgM-CIC) | 1 kit | BACHEM |
| S-4030.0001 | Immunohistochemistry Staining Detection Kit | 1 kit | BACHEM |
| S-2257.0001 | Inactive Ghrelin () RIA Kit, Host : | 1 kit | BACHEM |
| S-1214.0001 | Inhibin alpha-Subunit (1-32) () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-1215.0001 | Inhibin alpha-Subunit (1-32) () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3073.0001 | Inhibin alpha-Subunit (1-32) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-3133.0001 | Inhibin alpha-Subunit (1-32) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2146.0001 | Inhibin alpha-Subunit (1-32) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-2147.0001 | Inhibin alpha-Subunit (1-32) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1237.0001 | Insulin () - ELISA Kit (delivery 3-4 weeks, may be longer) | 1 kit | BACHEM |
| S-1238.0001 | Insulin () - ELISA Kit (delivery 3-4 weeks, may be longer) | 1 kit | BACHEM |
| S-9106.0001 | Insulin () - ELISA Kit, (S-type) (delivery 3-4 weeks, may be longer) | 1 kit | BACHEM |
| S-3014.0001 | Insulin () - Immunofluorescence Kit, Host: Guinea | 1 kit | BACHEM |
| S-4005.0001 | Insulin () - Immunohistochemistry Staining Kit, Host: Guinea | 1 kit | BACHEM |
| S-2042.0001 | Insulin () - RIA Kit, Host: Guinea | 1 kit | BACHEM |
| S-1236.0001 | Insulin (canine) - ELISA Kit (delivery 3-4 weeks, may be longer) | 1 kit | BACHEM |
| S-3194.0001 | Intermedin () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2248.0001 | Intermedin () - RIA Kit, Host: | 1 kit | BACHEM |
| S-3182.0001 | in () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-4032.0001 | in () - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-2231.0001 | in () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1255.0001 | Kisspeptin-13 (4-13) () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3184.0001 | Kisspeptin-13 (4-13) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-4034.0001 | Kisspeptin-13 (4-13) () - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |

| | | | |
|-------------|--|-----------|--------|
| S-2233.0001 | Kisspeptin-13 (4-13) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1308.0001 | Kisspeptin-54 () - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-3055.0001 | Leu-Enkephalin - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2118.0001 | Leu-Enkephalin - RIA Kit, Host: | 1 kit | BACHEM |
| S-3158.0001 | Leumorphin () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2152.0001 | Leumorphin () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1353.0001 | LHRH - EIA Kit (H - sr, pl), Host : , Extraction Free | 1 kit | BACHEM |
| S-1351.0001 | LHRH - EIA Kit (R - sr, pl), Host : , Extraction Free | 1 kit | BACHEM |
| S-1217.0001 | LHRH - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3076.0001 | LHRH - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2153.0001 | LHRH - RIA Kit, Host: | 1 kit | BACHEM |
| S-1331.0001 | LIP1 () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-1332.0001 | LIP2 () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-1318.0001 | LL-37 - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-2258.0001 | LL-37 - RIA Kit, Host : | 1 kit | BACHEM |
| S-3146.0001 | Mating Factor alpha - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2154.0001 | Mating Factor alpha - RIA Kit, Host: | 1 kit | BACHEM |
| S-3056.0001 | Met-Enkephalin - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-4021.0001 | Met-Enkephalin - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-2119.0001 | Met-Enkephalin - RIA Kit, Host: | 1 kit | BACHEM |
| S-3057.0001 | Met-Enkephalin-Arg-Gly-Leu - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2120.0001 | Met-Enkephalin-Arg-Gly-Leu - RIA Kit, Host: | 1 kit | BACHEM |
| S-3058.0001 | Met-Enkephalin-Arg-Phe - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2121.0001 | Met-Enkephalin-Arg-Phe - RIA Kit, Host: | 1 kit | BACHEM |
| S-9100.0025 | Mito Casp™ | 25 tests | BACHEM |
| S-9100.0100 | Mito Casp™ | 100 tests | BACHEM |
| S-2205.0001 | Motilin (,) - RIA Kit, Host: | 1 kit | BACHEM |
| S-3124.0001 | Motilin (canine) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2045.0001 | Motilin (canine) - RIA Kit, Host: | 1 kit | BACHEM |
| S-1008.0002 | MRP14 () - ELISA | 2 plates | BACHEM |
| S-1007.0002 | MRP8 () - ELISA | 2 plates | BACHEM |
| S-1011.0002 | MRP8/14 () - ELISA Calprotectin | 2 plates | BACHEM |
| S-1306.0001 | Nesfatin-1 () - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-6000.0001 | Nesfatin-1 () - Fluorescent Peptide Enzyme Immunoassay Kit | 1 kit | BACHEM |
| S-3199.0001 | Nesfatin-1 (24-38) () - Immunofluorescence Kit, Host : | 1 kit | BACHEM |
| S-4040.0001 | Nesfatin-1 (24-38) () - Immunohistochemistry Staining Kit, Host : | 1 kit | BACHEM |
| S-1370.0001 | Neuroendocrine Regulatory Peptide-1 (NERP-1) () - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1375.0001 | Neuroendocrine Regulatory Peptide-1 (NERP-1) () - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1366.0001 | Neuroendocrine Regulatory Peptide-2 (NERP-2) () - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1367.0001 | Neuroendocrine Regulatory Peptide-2 (NERP-2) () - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1218.0001 | Neurokinin A - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3080.0001 | Neurokinin A - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-4024.0001 | Neurokinin A - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-2158.0001 | Neurokinin A - RIA Kit, Host: | 1 kit | BACHEM |
| S-1271.0001 | Neurokinin B - EIA Kit (H - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1219.0001 | Neurokinin B - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3081.0001 | Neurokinin B - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-4025.0001 | Neurokinin B - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-2159.0001 | Neurokinin B - RIA Kit, Host: | 1 kit | BACHEM |
| S-1301.0001 | Neuromedin B - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-1279.0001 | Neuromedin S () - EIA Kit (H - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1281.0001 | Neuromedin S () - EIA Kit (R - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1278.0001 | Neuromedin S () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-1280.0001 | Neuromedin S () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |

| | | | |
|-------------|--|--------|--------|
| S-1254.0001 | Neuromedin U-23 () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3185.0001 | Neuromedin U-23 () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2232.0001 | Neuromedin U-23 () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1253.0001 | Neuromedin U-25 () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3181.0001 | Neuromedin U-25 () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2229.0001 | Neuromedin U-25 () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1382.0001 | Neuronostatin-13 (,) - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1381.0001 | Neuronostatin-13 (, canine,) - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1368.0001 | Neuronostatin-19 (,) - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1369.0001 | Neuronostatin-19 (, canine,) - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-3195.0001 | Neuropeptide S () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-3196.0001 | Neuropeptide S () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2249.0001 | Neuropeptide S () - RIA Kit, Host: | 1 kit | BACHEM |
| S-2250.0001 | Neuropeptide S () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1259.0001 | Neuropeptide W-23 () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3186.0001 | Neuropeptide W-23 () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2234.0001 | Neuropeptide W-23 () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1220.0001 | Neuropeptide Y () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3082.0001 | Neuropeptide Y () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-4026.0001 | Neuropeptide Y () - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-2160.0001 | Neuropeptide Y () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1145.0001 | Neuropeptide Y (,) - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3017.0001 | Neuropeptide Y (,) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-4006.0001 | Neuropeptide Y (,) - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-2029.0001 | Neuropeptide Y (,) - RIA Kit, Host: | 1 kit | BACHEM |
| S-1346.0001 | Neuropeptide Y (, ,) - EIA Kit (H - sr, pl), Host : , Extraction Free | 1 kit | BACHEM |
| S-1206.0001 | Neurotensin - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3059.0001 | Neurotensin - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2046.0001 | Neurotensin - RIA Kit, Host: | 1 kit | BACHEM |
| S-1262.0001 | Nicastrin (1-17) amide () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3189.0001 | Nicastrin (1-17) amide () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2239.0001 | Nicastrin (1-17) amide () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1263.0001 | Nicastrin (656-676) () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3190.0001 | Nicastrin (656-676) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2240.0001 | Nicastrin (656-676) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-3083.0001 | Nociceptin - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2161.0001 | Nociceptin - RIA Kit, Host: | 1 kit | BACHEM |
| S-9095.0125 | NOS Detection Kit™ | 125 µg | BACHEM |
| S-9095.0250 | NOS Detection Kit™ | 25 µg | BACHEM |
| S-1284.0001 | Obestatin () - EIA Kit (H - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1286.0001 | Obestatin () - EIA Kit (R - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1285.0001 | Obestatin () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-1287.0001 | Obestatin () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-1341.0001 | Octreotide - EIA Kit (H - sr, pl), Host : , Extraction Free | 1 kit | BACHEM |
| S-1342.0001 | Octreotide - EIA Kit (R - sr, pl), Host : , Extraction Free | 1 kit | BACHEM |
| S-1275.0001 | Octreotide - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3143.0001 | Octreotide - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2210.0001 | Octreotide - RIA Kit (H - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-2211.0001 | Octreotide - RIA Kit (R - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-2217.0001 | Octreotide - RIA Kit, Host: | 1 kit | BACHEM |
| S-1146.0001 | Orexin A (, ,) - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3018.0001 | Orexin A (, ,) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2030.0001 | Orexin A (, ,) - RIA Kit, Host: | 1 kit | BACHEM |
| S-1374.0001 | Orexin A (, , canine, , ovine,) - EIA Kit (H - sr, pl), Host : , Extraction-free | 1 kit | BACHEM |

| | | | |
|-------------|--|-------|--------|
| S-1147.0001 | Orexin B () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3019.0001 | Orexin B () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2031.0001 | Orexin B () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1148.0001 | Orexin B (,) - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3020.0001 | Orexin B (,) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2032.0001 | Orexin B (,) - RIA Kit, Host: | 1 kit | BACHEM |
| S-1258.0001 | Osteocalcin (1-49) () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3176.0001 | Osteocalcin (1-49) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2226.0001 | Osteocalcin (1-49) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1250.0001 | Osteogenic Growth Peptide - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3170.0001 | Osteogenic Growth Peptide - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2222.0001 | Osteogenic Growth Peptide - RIA Kit, Host: | 1 kit | BACHEM |
| S-3198.0001 | Osteopontin () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-4036.0001 | Osteopontin () - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-1394.0001 | Oxyntomodulin (Glucagon-37) (, ,) - EIA Kit (H - sr, pl), Host : , Extraction Free | 1 kit | BACHEM |
| S-1393.0001 | Oxyntomodulin (Glucagon-37) (, ,) - EIA Kit (R - sr, pl), Host : , Extraction Free | 1 kit | BACHEM |
| S-1392.0001 | Oxyntomodulin (Glucagon-37) (, ,) - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1355.0001 | Oxytocin - EIA Kit (H - sr, pl), Host : , Extraction Free | 1 kit | BACHEM |
| S-1176.0001 | Oxytocin - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3021.0001 | Oxytocin - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-4007.0001 | Oxytocin - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-2033.0001 | Oxytocin - RIA Kit, Host: | 1 kit | BACHEM |
| S-3088.0001 | PACAP Related Peptide (1-29) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2169.0001 | PACAP Related Peptide (1-29) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-3084.0001 | PACAP-27 (, , ovine, ,) - Immunofluorescence Kit, Host: Guinea | 1 kit | BACHEM |
| S-3085.0001 | PACAP-27 (, , ovine, ,) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2165.0001 | PACAP-27 (, , ovine, ,) - RIA Kit, Host: | 1 kit | BACHEM |
| S-2164.0001 | PACAP-27 (, , ovine, ,) - RIA Kit, Host: Guinea | 1 kit | BACHEM |
| S-1322.0001 | PACAP-38 (, , ovine, ,) - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-3087.0001 | PACAP-38 (, , ovine, ,) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-3086.0001 | PACAP-38 (, , ovine, ,) - Immunofluorescence Kit, Host: Guinea | 1 kit | BACHEM |
| S-2168.0001 | PACAP-38 (, , ovine, ,) - RIA Kit, Host: | 1 kit | BACHEM |
| S-2167.0001 | PACAP-38 (, , ovine, ,) - RIA Kit, Host: Guinea | 1 kit | BACHEM |
| S-3160.0001 | PACAP-38 (16-38) (, , , ovine, ,) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2166.0001 | PACAP-38 (16-38) (, , , ovine, ,) - RIA Kit, Host: | 1 kit | BACHEM |
| S-1221.0001 | Pancreastatin () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3123.0001 | Pancreastatin () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2171.0001 | Pancreastatin () - RIA Kit, Host: | 1 kit | BACHEM |
| S-3139.0001 | Pancreastatin (33-48) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2110.0001 | Pancreastatin (33-48) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1373.0001 | Pancreatic Polypeptide () - EIA Kit (H - sr, pl), Host : , Extraction-free | 1 kit | BACHEM |
| S-1177.0001 | Pancreatic Polypeptide () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3022.0001 | Pancreatic Polypeptide () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2034.0001 | Pancreatic Polypeptide () - RIA Kit, Host: | 1 kit | BACHEM |
| S-3089.0001 | Pancreatic Polypeptide (avian) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2173.0001 | Pancreatic Polypeptide (avian) - RIA Kit, Host: | 1 kit | BACHEM |
| S-1324.0001 | PAR-2 (1-6) amide (,) - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-3095.0001 | Peptide F () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2184.0001 | Peptide F () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1272.0001 | Peptide YY () - EIA Kit (H - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1151.0001 | Peptide YY () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3023.0001 | Peptide YY () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2043.0001 | Peptide YY () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1274.0001 | Peptide YY (,) - EIA Kit (R - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |

| | | | |
|-------------|--|-------|--------|
| S-1150.0001 | Peptide YY (,) - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3024.0001 | Peptide YY (,) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2050.0001 | Peptide YY (,) - RIA Kit, Host: | 1 kit | BACHEM |
| S-3130.0001 | PHI-27 () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2185.0001 | PHI-27 () - RIA Kit, Host: | 1 kit | BACHEM |
| S-3126.0001 | PHM-27 () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-3103.0001 | PHM-27 () - Immunofluorescence Kit, Host: Guinea | 1 kit | BACHEM |
| S-2186.0001 | PHM-27 () - RIA Kit, Host: | 1 kit | BACHEM |
| S-2220.0001 | Prepro-Atrial Natriuretic Factor (104-116) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-3164.0001 | Prepro-Atrial Natriuretic Factor (104-123) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2071.0001 | Prepro-Atrial Natriuretic Factor (104-123) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-3165.0001 | Prepro-Atrial Natriuretic Factor (26-55) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2069.0001 | Prepro-Atrial Natriuretic Factor (26-55) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-3167.0001 | Prepro-Atrial Natriuretic Factor (26-92) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-3166.0001 | Prepro-Atrial Natriuretic Factor (56-92) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2070.0001 | Prepro-Atrial Natriuretic Factor (56-92) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-3114.0001 | Prepro-Endothelin-1 (94-109) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2122.0001 | Prepro-Endothelin-1 (94-109) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1316.0001 | Prepro-Ghrelin (101-117) () - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1289.0001 | Prepro-Neuromedin S (70-103) () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-2256.0001 | Prepro-Neuromedin S (70-103) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-2251.0001 | Prepro-Neuromedin U (104-136) () - RIA Kit, Host : | 1 kit | BACHEM |
| S-1335.0001 | Preptin () - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1339.0001 | Preptin () - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-3168.0001 | Proadrenomedullin (1-20) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2058.0001 | Proadrenomedullin (1-20) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1296.0001 | Proadrenomedullin (45-92) () - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1314.0001 | Proactin-releasing Peptide (12-31) () (PRLP2U()) - EIA Kit, Host : , High Sensitivity *currently not available on the web | 1 kit | BACHEM |
| S-1162.0001 | pTH (1-34) () - EIA Kit (H - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1163.0001 | pTH (1-34) () - EIA Kit (R - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1178.0001 | pTH (1-34) () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3109.0001 | pTH (1-34) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-3110.0001 | pTH (1-34) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2035.0001 | pTH (1-34) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-2176.0001 | pTH (1-34) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-3111.0001 | pTH (1-38) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2177.0001 | pTH (1-38) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-3091.0001 | pTH (1-44) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2178.0001 | pTH (1-44) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1226.0001 | pTH (1-84) () - ELISA Kit, Host: | 1 kit | BACHEM |
| S-3175.0001 | pTH (7-84) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2225.0001 | pTH (7-84) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1227.0001 | pTH-Related Protein (1-34) (,) - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3093.0001 | pTH-Related Protein (1-34) (,) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-3092.0001 | pTH-Related Protein (1-34) (,) - Immunofluorescence Kit, Host: Guinea | 1 kit | BACHEM |
| S-2181.0001 | pTH-Related Protein (1-34) (,) - RIA Kit, Host: | 1 kit | BACHEM |
| S-2203.0001 | pTH-Related Protein (1-34) (,) - RIA Kit, Host: Guinea | 1 kit | BACHEM |
| S-2183.0001 | pTH-Related Protein (1-37) (,) - RIA Kit, Host: | 1 kit | BACHEM |
| S-3173.0001 | rec EGF () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2216.0001 | rec EGF () - RIA Kit, Host: | 1 kit | BACHEM |
| S-3070.0001 | rec IGF-I () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2143.0001 | rec IGF-I () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1266.0001 | Salusin-alpha () - EIA Kit (H - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1267.0001 | Salusin-alpha () - EIA Kit (R - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |

| | | | |
|-------------|--|-----------|--------|
| S-1265.0001 | Salusin-alpha () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3191.0001 | Salusin-alpha () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2241.0001 | Salusin-alpha () - RIA Kit, Host: | 1 kit | BACHEM |
| S-3197.0001 | Salusin-beta () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-4035.0001 | Salusin-beta () - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-3112.0001 | Sarafotoxin B - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2187.0001 | Sarafotoxin B - RIA Kit, Host: | 1 kit | BACHEM |
| S-1229.0001 | Secretin () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-1230.0001 | Secretin () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-1261.0001 | Secretin () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3096.0001 | Secretin () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-3125.0001 | Secretin () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-3136.0001 | Secretin () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-4027.0001 | Secretin () - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-4031.0001 | Secretin () - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-2199.0001 | Secretin () - RIA Kit (H - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-2188.0001 | Secretin () - RIA Kit, Host: | 1 kit | BACHEM |
| S-2189.0001 | Secretin () - RIA Kit, Host: | 1 kit | BACHEM |
| S-2190.0001 | Secretin () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1387.0001 | Secretoneurin (,) - EIA Kit (H - sr, pl), Host : , Extraction Free | 1 kit | BACHEM |
| S-1380.0001 | Secretoneurin (,) - EIA Kit (R - sr, pl), Host : , Extraction-free | 1 kit | BACHEM |
| S-1307.0001 | Secretoneurin (,) - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1386.0001 | Secretoneurin (,) - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1354.0001 | Serpinin (,) - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1152.0001 | Somatostatin-14 - EIA Kit (H - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1164.0001 | Somatostatin-14 - EIA Kit (R - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1179.0001 | Somatostatin-14 - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3025.0001 | Somatostatin-14 - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-4008.0001 | Somatostatin-14 - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-2051.0001 | Somatostatin-14 - RIA Kit, Host: | 1 kit | BACHEM |
| S-3097.0001 | Somatostatin-28 - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2191.0001 | Somatostatin-28 - RIA Kit, Host: | 1 kit | BACHEM |
| S-1317.0001 | Spexin - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-3179.0001 | Stresscopin () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-3180.0001 | Stresscopin-Related Peptide () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-1153.0001 | Substance P - EIA Kit (H - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1165.0001 | Substance P - EIA Kit (R - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1180.0001 | Substance P - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3026.0001 | Substance P - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-4009.0001 | Substance P - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-2053.0001 | Substance P - RIA Kit, Host: | 1 kit | BACHEM |
| S-2052.0001 | Substance P - RIA Kit, Host: Guinea | 1 kit | BACHEM |
| S-9099.0100 | Superoxide Dismutase (SOD) Detection Kit | 100 tests | BACHEM |
| S-3147.0001 | TGF alpha (1-50) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-4028.0001 | TGF alpha (1-50) () - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-2192.0001 | TGF alpha (1-50) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1231.0001 | Thr-Ala-Pro-Arg-Atrial Natriuretic Factor (1-28) () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3098.0001 | Thr-Ala-Pro-Arg-Atrial Natriuretic Factor (1-28) () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2193.0001 | Thr-Ala-Pro-Arg-Atrial Natriuretic Factor (1-28) () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1345.0001 | Thymopentin - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1312.0001 | Thymosin alpha1 - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-6002.0001 | Thymosin alpha-1 () Fluorescent Peptide Enzyme Immunoassay Kit, Host : | 1 kit | BACHEM |
| S-1298.0001 | Thymosin β 4 (, , horse,) - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-3054.0001 | Urocortin () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |

| | | | |
|-------------|--|-------|--------|
| S-2117.0001 | Urocortin () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1257.0001 | Urotensin II () - EIA Kit (H - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1256.0001 | Urotensin II () - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3174.0001 | Urotensin II () - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2224.0001 | Urotensin II () - RIA Kit, Host: | 1 kit | BACHEM |
| S-1269.0001 | Urotensin II-Related Peptide (,) - EIA Kit (H - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1270.0001 | Urotensin II-Related Peptide (,) - EIA Kit (R - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1268.0001 | Urotensin II-Related Peptide (,) - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3192.0001 | Urotensin II-Related Peptide (,) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-2244.0001 | Urotensin II-Related Peptide (,) - RIA Kit, Host: | 1 kit | BACHEM |
| S-1201.0001 | VIP (, ,) - EIA Kit (H - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1202.0001 | VIP (, ,) - EIA Kit (R - sr, pl), Host: , Extraction-free | 1 kit | BACHEM |
| S-1183.0001 | VIP (, ,) - EIA Kit, Host: , High Sensitivity | 1 kit | BACHEM |
| S-3049.0001 | VIP (, ,) - Immunofluorescence Kit, Host: | 1 kit | BACHEM |
| S-3048.0001 | VIP (, ,) - Immunofluorescence Kit, Host: Guinea | 1 kit | BACHEM |
| S-4017.0001 | VIP (, ,) - Immunohistochemistry Staining Kit, Host: | 1 kit | BACHEM |
| S-2044.0001 | VIP (, ,) - RIA Kit, Host: | 1 kit | BACHEM |
| S-2105.0001 | VIP (, ,) - RIA Kit, Host: Guinea | 1 kit | BACHEM |
| S-2214.0001 | VIP (guinea) - RIA Kit, Host: | 1 kit | BACHEM |
| S-9126.0001 | Vitronectin Proceptor™ ELISA Kit for Immune Complexes (Vitronectin-CIC) | 1 kit | BACHEM |
| S-9127.0001 | Vitronectin Proceptor™ ELISA Kit for Membrane Attack Complexes (Vitronectin-sMAC) | 1 kit | BACHEM |
| S-1391.0001 | Xenopsin-Related Peptide 1 (XP-1, Xenin-8) - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1334.0001 | β-Casomorphin () - EIA Kit, Host : , High Sensitivity | 1 kit | BACHEM |
| S-1352.0001 | β-Endorphin () - EIA Kit (R - sr, pl), Host : , Extraction Free | 1 kit | BACHEM |